


# SolarRAE

Remote Alternative Power Source



#### **KEY FEATURES**

#### **Durable**

- Rugged steel enclosure to withstand harsh environments
- Powerful ventilation fan enables use in hot environments
- Lightning arrestor to prevent damage to internal components

#### Versatile

- Viewing window allows for local readings and alarm notification
- Large 55-Amp/hr gel battery specifically designed for solar applications
- Fully adjustable (tilt and rotate) 30W solar panel to maximize power output
- Fully adjustable external antenna to maximize radio transmission distances

 SolarRAE is compatible with AreaRAE series, SentryRAE, ChemRAE, MultiRAE Plus, MiniRAE 2000, ppbRAE Plus, MiniRAE 3000, ppbRAE 3000

# **APPLICATIONS**

- Oil & Gas
- HazMat
- Industrial Safety
- Civil Defense
- Environmental



- Fast installation
- Cost effective
- Maintenance free
- Stand-alone wireless



# SolarRAE

#### Remote Alternative Power Source




#### **SPECIFICATIONS**

## **Detector Specifications**

| Size                  | 20" W x 10" D x 42" H (50cm W x 25cm D x 1065cm H) (see diagram below) |
|-----------------------|--|
| Weight                | 70.5 lbs (32 kg), not including battery weight                         |
| Material              | Painted steel enclosure with stainless steel components                |
| Solar Panel           | 30 W peak output   |
| Battery               | 55-Amp/hr sealed gel   |
| Charging Controller   | 97% efficiency with included overcharge protection                     |
| Cooling Fan           | Maximum airflow of 84 cfm (2.4 m³/min)                                 |
| Operating Temperature | -4° to 122° F (-20° to 50° C)  |
| Pole Mount            | 2" to 3.5" diameter (5cm to 8.9cm)                                     |
| Certifications        | None   |

Specifications are subject to change



# **CORPORATE HEADQUARTERS**

**RAE Systems by Honeywell** 3775 North First Street

San Jose, CA 95134 USA raesales@raesystems.com

DS-1036-02

# **WORLDWIDE SALES OFFICES**

 USA/Canada
 1.877.723.2878

 Europe
 +45.86.52.51.55

 Middle East
 +00971.4.440.5949

 China
 +86.10.5885.8788-3000

 Asia Pacific
 +852.2669.0828